

FIG. 1




FIG. 2




FIG. 3





FIG. 4










FIG. 6A




FIG. 6B




FIG. 6C




FIG. 6D




FIG. 7A




FIG. 7B




FIG. 7C




FIG. 8




FIG. 9




FIG. 10A




FIG. 10B




FIG. 10C




FIG. 11A




FIG. 11B




FIG. 11C




FIG. 12A




FIG. 12B




FIG. 12C




FIG. 13A




FIG. 13B





FIG. 13C






FIG. 14A




FIG. 14B

FIG. 15




FIG. 16

704	810	820	831				830	832	
	Service type	APL_ID	Access state						Access direction
			Access time						
			04.3.3,12:24:55						
			07D5h	03h	03h	0Ch	18h	37h	
840	E_SRV1	0001h	04.3.3,12:24:56						88h
841	E_SRV1	0001h	04.3.3,12:24:56						94h
			07D5h	03h	03h	0Ch	18h	38h	
			07D5h	03h	03h	0Ch	18h	38h	

FIG. 17

1100	1101	1102	1103	1104	1105	1106	1107
b8 : b7	b6 : b5	b4	b3	b2	b1	Indication	Value
Front back verification flag	Front=0 Back=1	Up	Down	Left	Right		
1 0	0 0	0 0	0 0	0 0	0 0	Front side	80h
		1 0	0 0	0 0	0 0	Front side up	88h
		0 1	0 0	0 0	0 0	Front side down	84h
		0 0	0 1	0 0	0 0	Front side left	82h
		0 0	0 0	0 1	0 0	Front side right	81h
1 0	0 1	0 0	0 0	0 0	0 0	Back side	90h
		1 0	0 0	0 0	0 0	Back side up	98h
		0 1	0 0	0 0	0 0	Back side down	94h
		0 0	0 1	0 0	0 0	Back side left	92h
		0 0	0 0	0 1	0 0	Back side right	91h
0 0	0 0/1	0 0	0 0	0 0	0 0	side 1/side 2	00h/10h
		1 0	0 0	0 0	0 0	side 1/side 2 up	08h/18h
		0 1	0 0	0 0	0 0	side 1/side 2 down	04h/14h
		0 0	0 1	0 0	0 0	side 1/side 2 left	02h/12h
		0 0	0 0	0 1	0 0	side 1/side 2 right	01h/11h

FIG. 18

705	1200		1201		1203		1204		1202		1205	
	Service type	APL_ID	2byte	Comparison times	Access conditions		Time limit	1byte	Time series pattern		nbyte	
1210	E_SRV1		0001h	02h			04h	80h	94h			
1211	E_SRV2		0004h	04h			08h	10h	00h	10h	10h	
1212	E_SRV3		2200h	00h			00h					
1213	E_SRV4		0120h	04h			0Ch	82h	91h	80h	80h	
	
1214	E_SRVi		3312h	03h			0Fh	11h	01h	02h		
	
1215	E_SRVn		0912h	02h			09h	01h	12h			

FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27

